

37  
-  
21  
POULTRY

Slaughtered under Federal Inspection and Poultry  
Used in Canning and Other Processed Foods  
August 1964

October 1, 1964

Inspected Poultry - A total of 833,409,000 pounds live weight (chickens, turkeys and ducks combined) were inspected for slaughter during August 1964 under the Poultry Inspection Act carried on by the USDA. This was 10 percent more than the previous month and 1 percent more than in August 1963.

The number of head and pounds (live weight) inspected by classes in August 1964 were: young chickens, 175,517,000 head, 594,875,000 pounds; mature chickens, 10,059,000 head, 47,857,000 pounds; fryer-roaster turkeys, 1,418,000 head, 11,570,000 pounds; young turkeys, 9,764,000 head, 169,059,000 pounds; old turkeys, 129,000 head, 1,984,000 pounds; and ducks, 1,280,000 head, 8,064,000 pounds.

Certified Poultry - The quantity of poultry certified as wholesome in August 1964 totaled 616,744,000 pounds ready-to-cook weight of which 417,173,000 pounds were iced and 199,571,000 pounds were frozen. Total pounds certified by class of poultry were as follows: young chickens, 432,792,000 pounds; mature chickens, 32,152,000 pounds; fryer-roaster turkeys, 8,864,000 pounds; young turkeys, 135,116,000 pounds; old turkeys, 1,573,000 pounds; ducks, 5,730,000 pounds; and other poultry, 517,000 pounds.

Canned and Processed Poultry - Poultry inspected and used for canning and other processed food in August 1964 totaled 50,090,000 pounds ready-to-cook weight, compared with 50,009,000 pounds in August 1963. The quantity used in August 1964 consisted of 10,105,000 pounds of young chickens, 20,088,000 pounds of mature chickens, 17,765,000 pounds of turkeys, and 2,132,000 pounds of other poultry.

Cut-Up Poultry - Poultry cut-up and packaged in Federally inspected plants during August 1964 totaled 82,416,000 pounds ready-to-cook weight compared with 73,084,000 pounds in August 1963. The breakdown by classes for August 1964 consisted of 76,461,000 pounds of young chickens, 602,000 pounds of mature chickens, 5,314,000 pounds of turkeys and 39,000 pounds of other poultry.

Ante-mortem condemnations amounted to 2,186,000 pounds live weight for all classes. Condemnations by classes were equivalent to the following percentages of quantities inspected: young chickens, 0.30 percent; mature chickens, 0.38 percent; fryer-roaster turkeys, 0.15 percent; young turkeys, 0.12 percent; old turkeys, 0.07 percent; and ducks, 0.02 percent.

Post-mortem condemnations in August 1964 amounted to 14,654,000 pounds (NYD) weight. Condemnations by classes were equivalent to the following percentages of quantities inspected: young chickens, 2.00 percent; mature chickens, 3.23 percent; fryer-roaster turkeys, 1.64 percent; young turkeys, 1.48 percent; old turkeys, 1.91 percent; and ducks, 1.53 percent. In August 1963, the condemnations by classes were equivalent to the following percentages of quantities inspected: young chickens, 2.01 percent; mature chickens, 2.89 percent; fryer-roaster turkeys, 1.85 percent; young turkeys, 1.24 percent; old turkeys, 1.80 percent; and ducks, 1.79 percent.

Poultry: Slaughtered under Federal Inspection, August 1964 with comparisons

Class	Number inspected			Pounds inspected (live weight)			Average live weight					
	July	August	1964	July	August	1964	July	August	1964			
	1963	1963	1964	1,000	1,000	1,000	1963	1963	1964			
Young chickens	177,577	176,244	175,517	1,251,746	1,308,221	598,739	594,875	4,297,417	4,511,124	3.37	3.39	3.43
Mature chickens	8,865	11,197	10,059	70,594	76,518	42,073	47,857	340,650	371,497	4.75	4.65	4.83
Total chickens	186,442	187,441	185,576	1,322,340	1,384,739	640,812	642,732	4,638,067	4,882,621	3.44	3.44	3.51
Fryer-roasters	1,389	1,384	1,418	8,082	9,180	11,802	11,677	69,901	78,585	8.50	8.44	8.65
Young turkeys	5,506	9,112	9,764	18,870	20,997	89,493	157,683	324,901	368,057	16.25	17.30	17.22
Old turkeys	400	185	129	2,923	2,448	7,182	3,029	56,837	47,712	17.96	16.37	15.38
Total turkeys	7,295	10,681	11,311	29,875	32,625	108,477	172,389	451,639	494,354	14.87	16.14	15.15
Ducks	1,420	1,329	1,280	7,081	7,204	8,809	8,064	45,006	45,545	6.20	6.26	6.36
Other poultry	---	---	---	---	---	951	781	2,145	3,082	---	---	---
Total poultry	---	---	---	---	---	759,049	834,190	5,136,857	5,425,602	---	---	---

Pounds certified (ready-to-cook weights)

Class	July 1964			August 1964			January-August 1963			January-August 1964				
	Iced	Frozen	Total	Iced	Frozen	Total	Iced	Frozen	Total	Iced	Frozen	Total		
	pounds	pounds	pounds	pounds	pounds	pounds	pounds	pounds	pounds	pounds	pounds	pounds		
Young chickens	387,646	48,304	435,950	384,022	47,157	431,179	384,447	48,345	432,792	2,778,703	331,486	3,110,189		
Mature chickens	16,861	11,397	28,258	22,885	12,196	35,081	19,597	12,555	32,152	155,574	76,119	231,693		
Total chickens	404,507	59,701	464,208	406,907	59,353	466,260	404,044	60,900	464,944	2,934,277	407,605	3,341,882		
Fryer-roasters	1,132	7,949	9,081	1,314	7,632	8,946	1,882	6,982	8,864	10,847	43,131	53,978		
Young turkeys	8,810	62,918	71,728	11,106	115,139	126,245	11,127	123,989	135,116	30,971	228,704	259,675		
Old turkeys	753	4,991	5,744	164	2,333	2,497	6	1,567	1,573	4,927	40,115	45,102		
Total turkeys	10,695	75,858	86,553	12,584	125,104	137,688	13,015	132,538	145,553	46,745	312,010	358,755		
Ducks	86	6,204	6,290	75	5,864	5,939	112	5,618	5,730	976	30,932	31,908		
Other poultry	5	617	622	2	306	308	2	515	517	16	1,253	1,269		
Total poultry	415,293	142,380	557,673	419,568	190,627	610,195	417,173	199,571	616,744	2,982,014	751,800	3,733,814		
												3,101,858	837,688	3,939,546

Poultry: Condemnations of poultry slaughtered under Federal Inspection, August 1964 with comparisons

Class	Ante-mortem condemnations				Post-mortem condemnations			
	Pounds (live weight)		Percent 1/		Pounds (live weight)		Percent 2/	
	August	1963	1964	August	1963	1964	August	1963
Young chickens	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000
Mature chickens	1,986	0.33	0.30	10,834	10,711	10,699	2.01	2.00
Total chickens	184	.35	.38	1,344	1,349	1,385	2.89	3.23
	2,170	.34	.31	12,178	12,060	12,084	2.08	2.10
Fryer-roasters	13	.11	.15	137	194	171	1.85	1.64
Young turkeys	173	.11	.12	388	1,760	2,248	1.24	1.48
Old turkeys	1	.05	.07	62	49	34	1.80	1.91
Total turkeys	187	.11	.12	587	2,003	2,453	1.29	1.49
Ducks	2	.02	.02	11	134	111	1.79	1.53
Other poultry	1	.27	.11	3	2	6	.45	.85
Total	2,360	.29	.26	12,779	14,199	14,654	1.91	1.96

1/ Pounds condemned as percent of pounds (live weight) inspected. Percentages based on unrounded data.  
 2/ Pounds condemned as percent of equivalent N. Y. dressed weight of quantity inspected. Percentages based on unrounded data.

Poultry: Inspected for canning and other processed foods, August 1964 with comparisons 1/

Class	Pounds used ready-to-cook weight				Pounds condemned ready-to-cook weight			
	August		Percent		August		Percent	
	1963	1964	1963	1964	1963	1964	1963	1964
Young chickens	10,840	9,505	10,105	84,164	16	25	13	223
Further processed	74,061	67,839	76,461	486,561	---	---	---	---
Cut up	18,082	19,835	20,088	166,385	16	18	13	96
Mature chickens	561	667	602	5,878	---	---	---	---
Further processed	17,132	18,485	17,765	109,316	11	11	7	46
Cut up	4,662	4,516	5,314	25,554	---	---	---	---
Other poultry 2/	2,743	2,184	2,132	25,462	7	9	35	83
Further processed	60	62	39	740	---	---	---	---
Cut up	48,797	50,009	50,090	368,058	50	63	68	448
Total	79,314	73,084	82,416	518,733	---	---	---	---

1/ All poultry inspected for canning and further processing and cut up and packaged in plants under Federal inspection.  
 2/ Poultry parts and fat used in further processing that cannot be identified by class are included in "other poultry".

Young chickens: Slaughtered under Federal Inspection, by regions and selected States, August 1963 and 1964

Region and State	Number inspected		Pounds inspected (live weight)		Average live weight inspected 1/		Total pounds certified		Post-mortem condemnations	
	1963	1964	1963	1964	1963	1964	1963	1964	1963	1964
M. Atl.	13,536	13,558	51,738	52,366	3.82	3.86	37,511	37,734	860	894
E. N. Cent.	3,939	2,487	12,009	8,515	3.48	3.42	9,235	6,291	180	99
W. N. Cent.	4,783	4,233	15,500	13,584	3.24	3.21	11,132	9,739	252	197
S. Atl.	73,417	73,374	249,209	252,252	3.40	3.44	182,717	184,885	4,232	4,413
S. Cent.	77,701	78,555	253,319	256,709	3.26	3.27	182,677	185,908	4,963	4,862
West	3,168	3,300	11,068	11,449	3.49	3.47	7,907	8,234	218	245
U. S.	176,244	175,517	593,589	594,875	3.37	3.39	431,179	432,792	10,711	10,699
Maine	5,766	5,684	22,242	22,023	3.86	3.87	16,475	16,282	379	363
Mass. 3/	496	---	1,879	---	3.79	---	1,336	---	33	---
Conn.	771	610	2,686	2,292	3.48	3.76	1,895	1,572	50	38
N. J. 3/	23	---	107	---	4.67	---	31	---	1	---
Pa.	6,162	6,748	23,665	25,915	3.84	3.84	17,141	18,614	385	464
Ohio	653	450	2,327	1,628	3.57	3.61	1,718	1,190	26	20
Ind.	1,340	990	4,379	3,048	3.27	3.08	3,194	2,241	46	17
Ill.-Mich. 4/	475	30	1,871	182	3.94	6.07	1,308	134	58	4
Wis.	1,171	1,017	4,092	3,657	3.49	3.60	3,015	2,726	56	48
Minn.	836	570	2,931	2,134	3.51	3.75	2,212	1,612	31	16
Iowa	84	52	359	243	4.27	4.57	262	178	4	1
Mo.	3,863	3,610	12,216	11,203	3.16	3.10	8,658	7,947	217	179
Del.	7,387	7,598	27,625	28,565	3.74	3.75	19,955	20,780	495	486
MD.	10,471	9,833	38,890	36,462	3.71	3.71	28,128	26,253	666	796
Va.	4,848	3,981	14,638	11,956	3.02	3.00	10,357	8,416	223	200
N. C.	18,417	17,869	61,967	60,392	3.36	3.38	46,098	44,541	744	781
S. C.	2,101	2,013	6,854	6,941	3.26	3.45	5,016	5,032	154	146
Ga.	28,859	30,827	95,084	103,892	3.29	3.37	70,078	76,978	1,916	1,947
Ky.	2,015	1,967	6,848	6,624	3.40	3.37	4,910	4,742	85	74
Tenn.	5,332	5,310	17,967	17,663	3.37	3.33	13,189	12,979	244	229
Ala.	17,919	18,131	59,873	60,918	3.34	3.36	43,465	44,862	1,108	904
Miss.	14,158	14,053	45,718	45,811	3.23	3.26	33,564	33,514	909	1,022
Ark.	24,624	24,518	78,567	78,567	3.20	3.20	55,817	55,914	1,791	1,688
La.-Okla. 4/	3,630	3,722	11,885	12,120	3.27	3.26	8,639	8,792	246	252
Texas	10,623	10,864	32,333	35,006	3.23	3.22	23,092	25,105	580	693
Idaho 3/	443	---	1,457	---	3.29	---	1,043	---	16	---
Utah 3/	---	19	---	67	---	3.57	---	49	---	2
Wash.	978	872	3,501	3,113	3.58	3.57	2,492	2,261	43	37
Calif.	1,722	2,104	6,033	7,159	3.50	3.40	4,314	5,090	156	192

1/ Average weight based on unrounded data.  
 2/ Pounds condemned as percent of equivalent N. Y. dressed weight of quantity inspected. Percentages based on unrounded data.  
 3/ Data for only 1 year published in order to avoid disclosure of individual operations.  
 4/ Combined to avoid disclosure of individual operations.

Young chickens: Number condemned post-mortem by cause, by regions and selected States, August 1964

Region and State	:Tuber- : Leu- : Septi- : Airstac- : Infram- : Tumors : Para- : Bruises : Cadaver- : Contam- : Over- : Decom- : Other : Total													
	:No.:	:No.:	:No.:	:No.:	:No.:	:No.:	:No.:	:No.:	:No.:	:No.:	:No.:	:No.:	:No.:	:No.:
N. Atl.	89,743	40,111	28,072	4,533	10,492	463	1,340	5,042	4,979	241	346	7	5,349	213,552
E. N. Cent.	1,627	4,095	9,262	164	516	44	63	306	1,495	---	261	---	379	25,257
W. N. Cent.	3,931	9,964	20,920	22,851	11,121	560	868	5,234	6,439	105	235	---	1,160	57,188
S. Atl.	391,351	237,819	267,769	1,073	782	79	60	389	571	20	8,346	4,027	30,439	1,264,690
S. Cent.	156,338	277,229	564,073	869	944	28	164	403	917	56	7,814	1,090	38,012	1,366,765
West	22,100	22,785	11,273	136	156	1	8	103	69	6	3,788	2	8,505	81,265
U. S.	655,090	592,003	901,369	343,777	343,777	13,459	40,502	126,192	19,347	17,972	5,126	---	83,844	3,008,717
Maine	39,520	13,462	4,533	12	115	107	32	18	62	1	---	---	1,862	81,934
Conn.	2,579	2,078	164	12	115	107	32	18	62	1	---	---	406	7,651
Pa.	46,097	21,619	22,851	12	115	107	32	18	62	1	---	---	2,903	117,800
Ohio	495	1,073	1,158	12	115	107	32	18	62	1	---	---	228	4,845
Ind.	463	869	974	12	115	107	32	18	62	1	---	---	36	4,854
Ill.-Mich. 1/	155	136	13	12	115	107	32	18	62	1	---	---	---	647
Wis.	514	2,017	7,117	12	115	107	32	18	62	1	---	---	115	14,911
Minn.	93	181	106	12	115	107	32	18	62	1	---	---	785	2,210
Iowa	12	115	107	12	115	107	32	18	62	1	---	---	52	420
Mo.	3,826	9,668	20,707	12	115	107	32	18	62	1	---	---	323	54,554
Del.	78,463	16,818	24,124	12	115	107	32	18	62	1	---	---	5,069	146,480
Md.	108,435	28,080	35,236	12	115	107	32	18	62	1	---	---	6,019	217,098
Va.	14,880	8,135	31,823	12	115	107	32	18	62	1	---	---	709	72,628
N. C.	41,536	49,298	51,575	12	115	107	32	18	62	1	---	---	3,721	227,007
S. C.	12,273	7,074	10,438	12	115	107	32	18	62	1	---	---	48	41,551
Ca.	133,147	123,694	111,134	12	115	107	32	18	62	1	---	---	13,902	540,914
Ky.	1,837	4,452	7,934	12	115	107	32	18	62	1	---	---	545	21,860
Tenn.	17,337	13,052	7,729	12	115	107	32	18	62	1	---	---	8,396	68,754
Ala.	37,916	55,649	72,818	12	115	107	32	18	62	1	---	---	905	229,395
Miss.	48,442	50,481	24,787	12	115	107	32	18	62	1	---	---	10,408	294,200
Ark.	29,812	90,805	124,608	12	115	107	32	18	62	1	---	---	6,854	475,373
La.-Okla. 1/	4,481	17,910	32,935	12	115	107	32	18	62	1	---	---	85	70,777
Texas	16,513	44,880	76,262	12	115	107	32	18	62	1	---	---	10,819	206,406
Utah	624	15	1	12	115	107	32	18	62	1	---	---	---	660
Wash.	440	6,396	2,391	12	115	107	32	18	62	1	---	---	921	12,858
Calif.	19,409	15,391	8,014	12	115	107	32	18	62	1	---	---	7,144	63,147

1/ Combined to avoid disclosure of individual operations.

Mature chickens: Slaughtered under Federal Inspection, by regions and selected States, August 1963 and 1964

Region and State	Number inspected		Pounds inspected		Average live weight inspected		Total pounds certified		Post-mortem condemnations	
	1963	1964	1963	1964	1963	1964	1963	1964	1963	1964
N. Atl.	1,818	1,390	8,907	7,275	4.90	5.23	1,000	1,000	1,000	1,000
E. N. Cent.	1,996	1,756	8,569	7,221	4.29	4.11	6,034	4,889	138	138
W. N. Cent.	3,543	3,150	15,370	13,494	4.34	4.28	5,862	4,883	208	208
S. Atl.	1,564	1,633	8,215	9,395	5.25	5.75	10,021	8,808	467	467
S. Cent.	1,208	1,122	6,365	6,252	5.27	5.57	5,716	6,452	248	248
West.	1,068	1,008	4,590	4,220	4.30	4.19	4,379	4,308	174	174
U. S.	11,197	10,059	52,016	47,857	4.65	4.76	35,081	32,152	1,349	1,385
Maine	225	279	1,395	1,772	6.20	6.35	1,026	1,277	22	38
N. J.	837	568	3,401	2,382	4.06	4.19	2,123	1,469	72	57
Pa.	251	324	1,340	1,812	5.34	5.60	915	1,202	22	21
Ohio	555	658	2,358	2,778	4.25	4.22	1,621	1,863	59	76
Ind.	683	473	2,941	1,987	4.31	4.20	2,005	1,363	63	55
Ill.	463	457	2,028	1,736	4.38	3.80	1,408	1,185	45	55
Mich. 3/	63	---	263	---	4.15	---	169	---	4	---
Wis.	232	118	979	515	4.23	4.38	659	349	26	17
Minn.	1,607	1,405	6,692	5,685	4.16	4.05	4,248	3,617	251	227
Iowa	464	277	1,882	1,147	4.06	4.14	1,265	743	47	22
Mo.	771	747	3,903	3,737	5.06	5.00	2,618	2,513	100	93
Del.	21	22	160	159	7.52	7.28	116	113	4	4
Md.	512	465	2,092	1,897	4.09	4.08	1,419	1,269	31	33
Va.	200	132	1,159	797	5.80	6.06	828	554	22	18
N. C.	470	477	2,567	3,013	5.46	6.32	1,785	2,061	52	73
S. C.	20	13	146	99	7.18	7.35	104	70	2	3
Ge.	330	511	2,021	3,361	6.13	6.58	1,413	2,340	62	115
Ky.	30	46	121	279	4.07	6.08	79	196	3	5
Tenn.	419	184	1,956	956	4.67	5.19	1,320	661	54	26
Ala.	144	101	841	750	5.85	7.39	607	536	26	23
Miss.	73	405	430	1,968	5.89	4.86	287	1,329	10	54
Ark.	132	79	880	543	6.64	6.86	614	373	24	18
La.-Okla. 4/	162	116	923	698	5.70	6.02	649	501	31	17
Texas	248	191	1,214	1,058	4.89	5.53	823	712	46	31
Utah 3/	33	---	125	---	3.72	---	86	---	1	---
Wash.	72	95	323	437	4.49	4.59	207	280	10	15
Calif.	905	860	3,891	3,566	4.30	4.15	2,606	2,384	109	133

1/ Average weight based on unrounded data. 2/ Pounds condemned as percent of equivalent N. Y. dressed weight of quantity inspected. Percentages based on unrounded data.

3/ Data for only 1 year published in order to avoid disclosure of individual operations.

4/ Combined to avoid disclosure of individual operations.

Mature chickens: Number condemned post-mortem by cause, by regions and selected States, August 1964

Region and State	Tuber- : culosis		Leu- : cosis		Septi- : cemia		Airsac- : cullitis		Inflam- : matory		Tumors : sites		Bruises : No.		Cadavers : No.		Contam- : ination		Over- : scald		Decom- : position		Other : No.		Total : No.	
	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.
N. Atl.	45	3,477	11,472	321	6,127	4,249	4	283	1,056	1,460	116	3	5,214	33,827												
E. N. Cent.	7,235	7,367	19,059	41	10,594	10,135	122	817	1,452	2,128	180	14	923	60,067												
W. N. Cent.	30,165	8,432	23,162	377	17,835	16,526	641	2,146	1,505	5,615	519	15	12,560	119,498												
S. Atl.	---	4,616	16,514	340	13,359	3,590	1	499	885	4,444	115	16	1,753	46,232												
S. Cent.	3	8,168	9,667	379	8,584	3,435	137	782	1,078	3,123	101	9	1,361	36,627												
West	---	810	14,962	369	7,652	9,576	205	756	587	2,166	53	21	5,273	42,430												
U. S.	37,448	32,870	94,836	1,627	64,151	47,511	1,110	5,283	6,663	18,936	1,084	78	27,084	338,681												
Maine	---	548	2,037	151	1,826	546	4	37	108	359	59	---	1,010	6,685												
N. J.	40	2,047	6,558	1	1,475	2,839	---	107	709	520	45	---	3,656	17,997												
Pa.	5	461	1,848	11	1,798	397	---	99	151	272	3	---	91	5,136												
Ohio	1,285	4,050	6,029	5	3,669	3,804	39	171	480	621	88	13	827	21,081												
Ind.	515	987	6,278	5	933	4,473	11	299	553	748	48	---	38	14,888												
Ill.	3,317	1,296	5,311	8	5,261	1,174	64	249	318	532	18	1	32	17,581												
Wis.	1,806	896	940	23	716	534	8	73	29	162	22	---	16	5,225												
Winn.	14,219	2,635	7,865	168	10,765	12,731	524	1,177	635	3,322	269	6	5,150	59,466												
Iowa	2,157	322	1,864	6	577	782	24	90	156	215	80	8	35	6,316												
Mo.	1,090	2,171	8,251	116	3,662	1,974	93	382	428	792	156	1	1,906	21,022												
Del.	---	140	134	1	176	36	---	1	8	14	---	---	8	518												
Md.	---	1,138	4,115	41	1,358	202	---	82	112	64	---	---	177	7,289												
Va.	---	325	1,147	3	1,738	228	---	37	122	149	20	---	14	3,783												
N. C.	---	1,826	4,325	85	5,093	754	---	133	376	1,228	77	1	1,128	15,026												
S. C.	---	81	160	7	155	14	---	6	10	61	---	---	---	494												
Ca.	---	1,079	6,499	203	4,618	2,309	1	233	352	2,904	18	15	321	18,552												
Ky.	---	54	373	7	176	229	---	4	19	92	---	---	9	963												
Tenn.	---	298	910	---	888	1,708	---	41	239	644	23	4	1,179	5,934												
Ala.	---	241	1,281	9	614	138	---	16	78	316	---	---	79	2,772												
Miss.	---	5,020	2,891	28	2,861	164	2	250	273	693	65	5	89	12,341												
Ark.	---	70	900	70	814	41	3	353	137	448	1	---	---	2,837												
La.-Okla. L/	3	272	1,110	22	1,232	746	129	43	236	448	4	---	---	4,071												
Texas	---	2,213	2,202	43	1,999	409	3	75	96	656	8	---	5	7,709												
Wash.	---	126	1,318	81	663	447	---	29	210	149	6	---	946	3,984												
Calif.	---	489	13,204	288	6,853	9,112	205	694	331	2,001	45	12	4,326	37,560												

L/ Combined to avoid disclosure of individual operations.

Young turkeys (mature): Slaughtered under Federal Inspection, by regions and selected States, August 1963 and 1964

Region and State	Number inspected		Pounds inspected		Average live weight inspected 1/		Total pounds certified (Ready-to-cook wt.)		Post-mortem condemnations				
	inspected		(live weight)		inspected 1/		(Ready-to-cook wt.)		Pounds (NYD)		Percent		
	1963	1964	1963	1964	1963	1964	1963	1964	1963	1964	1963	1964	
	Thou.	Thou.	pounds	pounds	Pounds	Pounds	pounds	pounds	pounds	pounds	Percent	Percent	
			1,000	1,000			1,000	1,000	1,000	1,000			
N. Atl.	97	144	1,495	2,571	15.41	17.85	1,184	2,047	16	18	1.19	0.78	
E. N. Cent.	1,124	1,219	19,072	21,200	16.97	17.39	15,232	16,868	122	259	.71	1.36	
W. N. Cent.	3,680	3,952	62,025	67,693	16.85	17.13	50,202	54,568	641	770	1.15	1.26	
S. Atl.	549	809	8,946	13,009	16.30	16.08	6,929	10,135	111	272	1.38	2.33	
S. Cent.	941	1,445	16,064	23,827	17.07	16.49	12,714	18,821	202	365	1.40	1.71	
West	2,721	2,195	50,081	40,759	18.41	18.57	39,984	32,677	668	564	1.48	1.54	
U. S.	9,112	9,764	157,683	169,059	17.30	17.31	126,245	135,116	1,760	2,248	1.24	1.48	
Pa.	83	104	1,282	1,747	15.50	16.84	1,018	1,417	15	11	1.25	.70	
Ohio	179	218	3,442	3,923	19.18	17.98	2,643	3,132	11	17	.37	.48	
Ind.	365	422	6,014	7,141	16.45	16.92	4,915	5,710	43	124	.79	1.93	
Ill.-Mich. 3/	196	180	3,471	3,169	17.71	17.61	2,784	2,549	15	12	.48	.42	
Wis.	384	399	6,145	6,967	15.98	17.45	4,890	5,477	53	106	.96	1.68	
Minn.	1,898	1,909	32,545	33,571	17.14	17.59	26,409	27,090	361	360	1.23	1.19	
Iowa	886	897	15,177	15,840	17.13	17.66	12,326	12,694	123	191	.90	1.34	
Mo.	386	653	6,277	10,037	16.26	15.37	4,960	8,095	81	130	1.44	1.44	
N. Dak.-S. Dak. 3/	129	105	2,131	1,709	16.52	16.32	1,741	1,376	12	16	.63	1.04	
Nebr.	232	245	3,826	4,408	16.49	18.02	3,116	3,619	34	43	.99	1.09	
Kans. 4/	143	143	---	2,128	---	14.88	---	1,694	---	30	---	---	1.57
Va.	169	279	2,876	4,602	17.02	16.47	2,140	3,393	45	142	1.74	3.44	
N. C.	278	366	4,662	6,000	16.74	16.38	3,683	4,846	57	94	1.36	1.73	
Ga.	43	71	651	1,108	15.06	15.61	539	898	6	18	1.01	1.79	
Ky. 4/	161	---	2,875	---	17.81	---	2,307	---	14	---	.57	---	
Ark.	222	484	3,899	7,689	17.55	15.90	3,089	6,015	68	153	1.95	2.22	
Texas	370	518	6,339	8,654	17.11	16.70	5,021	6,857	85	144	1.50	1.86	
Colo.	238	211	4,647	4,220	19.55	20.03	3,852	3,446	40	45	.97	1.19	
Utah	497	394	9,323	7,603	18.75	19.31	7,517	6,169	85	54	1.01	.79	
Calif.	1,679	1,326	30,968	24,252	18.44	18.30	24,537	19,325	482	412	1.73	1.89	

1/ Average weight based on unrounded data. 2/ Pounds condemned as percent of equivalent N.Y. dressed weight of quantity inspected. Percentages based on unrounded data.

3/ Combined to avoid disclosure of individual operations.

4/ Data for only 1 year published in order to avoid disclosure of individual operations.



Young turkeys (mature): Number condemned post-mortem by cause, by regions and selected States, August 1964

Region and State	Tuber- cullosis	Leu- cosis	Septi- cemia	Airasc- culitis	Inflam- matory	Tumors	Para- sites	Bruises	Cadaver inaction	Contam- ination	Over- scald	Decom- position	Other	Total
	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.
N. Atl.	1	296	118	474	31	47	2	1,010						
E. N. Cent.	18	3,410	3,842	7,450	97	321	5	15,554						
W. N. Cent.	480	14,826	16,243	7,284	435	1,667	118	839	1,667	1,667	388	59	44,034	
S. Atl.	25	3,147	6,058	6,181	63	629	1	239	456	629	40	1	16,846	
S. Cent.	135	9,037	7,289	3,532	191	964	42	33	677	964	90	33	21,990	
West	60	13,604	7,121	8,749	547	1,062	5	42	471	1,062	163	5	31,844	
U. S.	719	44,320	40,671	33,670	112	3	1,364	3,696	4,690	740	133	1,160	131,278	
Pa.	1	93	44	423	27	16	4	35	16	16	---	1	644	
Ohio	1	566	69	86	8	29	---	38	29	---	---	2	800	
Ind.	---	1,226	1,668	4,990	16	32	---	50	32	---	14	---	7,999	
Ill.-Mich. 1/	---	267	117	99	4	4	---	48	66	---	33	5	642	
Wis.	17	1,351	1,988	2,275	69	194	---	204	194	---	12	---	6,113	
Minn.	11	7,291	7,507	3,139	177	597	---	871	597	---	216	96	20,164	
Iowa	434	3,799	4,606	2,150	73	349	2	254	349	---	34	22	11,805	
Mo.	21	1,856	2,443	1,675	78	474	8	349	474	---	64	---	7,480	
N. Dak.-S. Dak. 1/	---	377	454	53	14	37	1	45	37	---	12	---	993	
Nebr.	8	1,094	662	149	82	115	5	74	115	---	22	---	2,212	
Kans.	6	409	571	118	11	95	1	122	95	---	40	---	1,380	
Va.	6	1,466	4,964	2,338	23	189	---	278	189	---	5	---	9,272	
N. C.	16	1,040	610	3,412	23	319	---	137	319	---	26	---	5,591	
Ge.	1	337	200	224	6	97	---	7	97	---	---	1	873	
Ark.	22	3,928	3,616	1,299	109	434	---	100	434	---	32	---	9,561	
Texas	102	3,151	3,147	1,828	56	310	---	357	310	---	4	---	8,973	
Colo.	17	747	409	971	12	52	---	53	52	---	---	---	2,264	
Utah	4	1,454	395	633	74	107	---	107	22	---	10	---	2,734	
Calif.	37	9,689	5,769	6,329	399	876	---	224	876	---	49	5	23,390	

1/ Combined to avoid disclosure of individual operations.



Old turkeys (breeders): Slaughtered under Federal Inspection, by regions and selected States, August 1963 and 1964

Region and State	Number inspected		Pounds inspected		Average live weight inspected		Total pounds certified		Post-mortem condemnations			
	1963		1964		1963		1964		1963		1964	
	Thou.	1,000	Thou.	1,000	Pounds	Pounds	Pounds	Pounds	Percent	Percent	Percent	Percent
N. Atl. 3/	3	40	2	13.92	14.87	31	2	---	---	0.63	---	
E. N. Cent.	22	374	263	17.00	18.79	296	207	5	5	1.49	2.11	
W. N. Cent.	61	1,016	644	16.66	16.95	891	516	18	11	1.97	1.90	
S. Atl.	35	485	636	13.86	13.83	379	501	7	12	1.60	2.10	
S. Cent.	5	92	142	18.40	12.20	74	1	1	2	1.21	1.21	
West.	59	1,022	256	17.32	16.00	826	205	18	4	1.96	1.74	
U.S.	185	3,029	1,984	16.37	15.38	2,497	1,573	49	34	1.80	1.91	
Minn.	53	909	597	17.26	17.42	803	480	17	11	2.05	2.06	
Va. 4/	29	360	---	12.48	---	284	---	5	---	1.45	---	
Calif. 4/	---	---	95	---	19.62	---	74	---	3	---	3.21	

Old turkeys (breeders): Number condemned post-mortem by cause, by regions and selected States, August 1964

Region and State	Tuberculosis		Leucosis		Septicemia		Airsacculitis		Inflammation		Tumors		Parasites		Bruises		Cadaver contamination		Over-scald		Decomposition		Other		Total
	No.	---	No.	---	No.	---	No.	---	No.	---	No.	---	No.	---	No.	---	No.	---	No.	---	No.	---	No.	---	
N. Atl.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
E. N. Cent.	---	6	98	60	77	---	---	---	---	---	---	---	---	---	9	12	---	---	---	---	---	---	---	---	262
W. N. Cent.	---	2	189	256	54	3	---	---	---	---	---	---	---	5	10	17	2	---	---	---	---	---	---	---	539
S. Atl.	---	198	205	302	194	21	---	---	---	---	---	---	---	1	3	24	---	---	---	---	---	---	---	---	948
S. Cent.	---	2	38	1	83	16	---	---	---	---	---	---	---	---	2	4	---	---	---	---	---	---	---	---	146
West.	---	6	108	5	65	---	---	---	---	---	---	---	---	2	1	3	---	---	---	---	---	---	---	---	194
U.S.	---	214	638	624	473	40	3	---	---	---	---	---	---	8	25	60	2	---	---	---	---	---	---	---	2,089
Minn.	---	2	172	252	53	2	---	---	---	---	---	---	---	4	10	17	2	---	---	---	---	---	---	---	515
Calif.	---	2	74	1	55	---	---	---	---	---	---	---	---	2	---	2	---	---	---	---	---	---	---	---	136

1/ Average weight based on unrounded data. 2/ Pounds condemned as percent of equivalent N.Y. dressed weight of quantity inspected. Percentages based on unrounded data. 3/ Dashes mean less than 500 pounds. 4/ Data for only 1 year published in order to avoid closure of individual operations.

OFFICIAL BUSINESS

Albert R. Mann Library  
8-24-61 Acquisitions Div.  
ML-PS Ithaca, N. Y.

Definitions

- Young chickens - Commercially grown broilers-fryers and other young immature birds such as roasters and capons.
- Mature chickens - Fowl from breeder and market egg flocks and stags and cocks.
- Fryer-roaster turkeys - Young immature birds, usually under 16 weeks of age.
- Young turkeys (mature) - Young birds grown to a matured market age, usually 5 to 7 months.
- Old turkeys (breeders) - Fully matured birds held for egg production, usually over 15 months of age.
- Ducks - Includes all ducks regardless of age and weight.
- Other poultry - Includes all other ready-to-cook products which bear the U. S. D. A. Inspected for Wholesomeness legend.

\* \* \* \*

The data presented in this report were compiled from reports collected by the Inspection Branch of the Poultry Division, Agricultural Marketing Service.